## MINERAL SURVEY No. 3916

ARIZONA Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF SOUTHERN COPPER MINING COMPANY ..... KNOWN AS THE Santo Nino No. 5 lode Patagonia Mining District, Panta Cruz County, Arizona APPROX. Section 9 , Township 24 S., Range 16 L., uns. Surveyed under instructions dated September 13., 19 23. by Edwin T. Stewart U. S. Mineral Surveyor. Claim located October 29, , 19 09 Survey commenced September 20. , 19 23. Survey completed September 21, 19 23. Address of claimant's &ttorneys, Morris & Melott, Box 879, Globe, Arizona. DATES OF AMENDED LOCATIONS. September 21, 1917

6-82

### MINERAL SURVEY NO. 3916.

Santo Nine No. 5 lode.

Feet

Beginning at Cor. No. 1, identical with N.E.Cor. of the location.

A pine post, 3 ft. long, 4 ins. sq., with nail at the exact corner, scribed 1-S.N.5-3916 on the side facing the claim, set on bed rock and surrounded by a monument of stone, whence

U.S.M.M.No. 1 bears N.67°-52'E. 4720.1 ft.

A cross on granite in place, flush with the surface of the ground, about which is chiseled B.R. 3916, bears S.40°-39'W. 6.60 ft.

An oak tree, 9 ins. in diameter, blazed and scribed cross B.T. 3916, bears S.86°-56'E. 34.0 ft.

No other bearings available.

Thence S. 20°-20' b.

262.00 Bed of gulch, draining northeasterly.

300.20 To E.E.C. monument of the location.

A monument of stone 3.5 ft base, 3 ft. high.

457.00 Road, course easterly and westerly.

600.20 To Cor. No. 2, identical with S.E.Cor. of the location.

A granite stone, 6 x 6 x 26 ins., chiseled cross at the exact corner and 2-S.N.5-3916 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

An oak tree, 12 ins. in diameter. blazed and scribed cross B.T. 3916, bears S.75°-05'W. 10.3 ft.

No other bearings available.

Thence S.86°-13'W.

1482.20 To Cor. No. 3, identical with S.W.Cor. of the location and Cor. No. 1, Santo Nino No. 1 lode, Sur. 3113.

A pine post, 4 ins. sq., showing 2 ft. out of the ground, surrounded by a mound of stone, scribed S.N.1-1-3113, to which I add 3-S.N.5-3916 for this claim, whence

A juniper tree, 12 ins. in diameter, blazed and scribed

B.T.S.N.1-1-3113, to which I add a cross and 3916, bears S.57°-27'W. 26.8 ft.

An oak tree, 10 ins. in diameter, blazed and scribed S.N.1-1-3113 B.T., to which I add a cross and 3916, bears S.61°-29'E. 13.2 ft.

Cor. No. 1, Santa Nino No. 3 lode, Sur. 3907, unapproved, bears S.77°-28'W. 44.0 ft.

No other bearings available.
Thence N.20°-20'W.

Along line 1-2 of said Santo Nino No. 1 lode.

- 10.00 Bed of gulch, draining northwesterly.
- 191.00 Road, course northwesterly and southeasterly.
- 300.00 To W.E.C. monument of the location, identical with E.E.C. of said Santo Nino No. 1 lode, from which the discovery shaft bears N.86°-13'E. 198.0 ft.

A pine post, 4 ins. sq., with nail at the exact point, showing 3 ft. above the ground, surrounded by a monument of stone, scribed E.C.S.N.1, to which I add W.L.C.-S.N.5-3916 for this claim.

600.20 To Cor. No. 4, identical with N.W.Cor. of the location and Cor. No. 2 of said Santo Nino No. 1 lode.

A pine post, 4 ins. sq., with neil at the exact corner, showing 2 ft. out of the ground, surrounded by a monument of stone, scribed S.N.1-2-3113, to which I add 4-S.N.5-3916 for this claim, whence

An oak tree, 11 ins. in diameter, blazed and scribed B.T. S.N.1-2-3113, to which I add a cross only, bears N.68°-46'W. 35.75 ft.

An oak tree, 9 ins. in diameter, blazed and scribed B.T. S.N.1-2-3113, to which I add a cross only, bears N.87°-48'E. 20.40 ft.

B.R. 3916, bears S.75°-40°W. 8.05 ft.

endent and o-c. 1.0-0016 tot total choice the contractor

No other bearings available.

Thence N.86°-13'E.

455.00 koed, course northerly and southerly

582.00 Bed of gulch, draining northwesterly.

744.00 Road, course easterly and westerly.

1012.00 Bed of gulch, draining southeasterly.

1482.20 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 13°-50'E.

#### Lode Line.

As near as can be determined from present developments, the vein of this location extends N.86°-13'E. 1284.2 ft. and S.86°-13'W. 198.0 ft. from the discovery shaft.

#### Area.

Total area Sante Nino No. 5 lode, 19.577 acres.

### Location.

This survey is located on unsurveyed land, in what will Sec.9, probably be T. 24 S., R. 16 E., G.& S.R.B.& M., in the Patagonia Mining District, Santa Cruz County, Arizona, within the Coronado Nat'l Forest.

Adjoining and Conflicting Claims.

Unknown claims, owners unknown, adjoin on the north, east and south. And the Santo Nino No. 1 lode, Sur.3113, owned by the claimant, adjoins on the west.

Expenditure of Five Hundred Dollars.

I hereby certify that the labor and improvements made upon this claim, by the claiment, or its grantors, is not less than five hundred dollars, and that said improvements consist of:

No. 1, the discovery shaft; value, \$35.00. At the present time this shaft is practically filled with the

earth and rock from the road excavation on the hill side above it. From the size of the dump, however, I estimate that when dug it was at least the equivalent in size of a shaft, 4 x 6 x 8 ft.

No. 2, 35 ft. of cut and tunnel, 5 x 7 ft., the center of the toe of which bears S.51°-40'W. 77.0 ft. from a point on line 4-1, 610.8 ft. from Cor. No. 4, and which extends thence N.55°W. to face. Value, \$300.00.

No. 3, 41 ft. of cut and tunnel, 4 x 6 ft., the center of the toe of which bears N.54°-37'E. 129.2 ft. from a point on the lode line 22.3 ft. from the W.L.C., and which extends thence West to face. Value, \$350.00.

### Other Improvements.

A frame house, 14 x 34.5 ft., course of long sides S.38°W., the N.W.Cor. of which bears S.02°-12'W. 93.5 ft. from a point on line 4-1, 610.8 ft. from Cor. No. 4.

Instrument and Determination of Meridian. This survey was made with a  $6\frac{1}{4}$  inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observations. The distances were measured with a 660 foot steel tape.

#### REPORT.

U.S.M.M.No. 1, to which tie is given from Cor. No. 1, is an oak post, hewed to 8 ins. sq., scribed U.S.M.M.No. 1, showing 5 ft. above the ground, and surrounded by a monument of stone. Tie to this monument was computed through a traverse extending from Cor. No. 1 S.86°-13'W. 123.7 ft.; thence N.27°-41'E. 668.1 ft.; thence N.74°-04'E. 4352.6 ft. to said monument.

Cors. 1 and 2 of the Santo Nino No. 1 lode, Sur. 3113,

Ere 4 x 4 posts, properly set and scribed. The disagreement between these notes and line 1-2 of said Santo Nino No.1 lode as approved is due to errors in Sur. 3113. The disagreement between the tie line from Cor. No. 1 of said Santo Nino No. 1 lode as computed through the lines of this survey and this tie line as approved is due to error in Sur.3113.

The disagreement between these notes and the location notice is due to errors in the notice.

Edwin ?! Stewarh
United States Mineral Surveyor.

Jahn, arizone. Postuler 1, 1803.

## FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals empl	loyed by Edwin T. Stewert
United States Deputy Mineral Surveyor, to as	ssist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field note	es of the survey of the mining claim of
Southern C	opper Mining Company
known as the Santo Nino No. 5 loc	de,
and showing the respective capacities in which	
	La Rennight, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OAT	HS OF ASSISTANTS.
₩-e,	
	, do solemnly swear that 🗱 assisted
	Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim ofSc	outhern Copper Mining Company
known as the Sento Nino No. 5 lo	ode
represented in the foregoing field notes as having	ng been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all	respects, to the best of our knowledge and belief, faithfully and
	y monuments established according to law and the instructions
furnished by the United States Surveyor-Gener	
furnished by the Officed States Surveyor-Gener	
	Ca Rennighon, Chainman.
	, Chainman,
	, Axman.
	, Flagman.
Subscribed and sworn	to by the above-named persons before me this 30th
day of Nove	ember, 1923., 190
	M. L. Harrison
My commission expires November 12, 1924.	
17287b5m3-05	Notery Public, Gila County, Arizona.

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Edwin T. Stewart	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance or	f instructions received from the United States
Surveyor General for Arizona	, dated
September 13, 192	3, I have, in strict conformity to the laws of the
	d instructions thereunder, and the instructions
	correctly executed the survey of the Mining
Claim of Southern Copper Mini	ng Company
	, known as the
Sante Nino No. 5	lode
situate in Patagonia	Mining District,
Sente Cruz	County, Arizone, approx., in Section
	lange No. 16 E., Unsur.
	as represented
	tely show the boundaries of said mining claim
	ne ground, and described in the attached copy
	eived by me from the Surveyor General with
	of said survey have been established and per-
	aw, official regulations and instructions there-
	that the foregoing are the true and original
	t therein, and that the labor expended and
improvements made upon said mining cla	im by claimant or its grantors
	character, extent, location, and itemized value
thereof are specified therein with particu	larity and full detail, and that no portion of
	this claim has been included in the estimate
of expenditures upon any other claim.	
	Edwin 9) Stewark
	U. S. Mineral Surveyor.
Subscribed and sworn to by the said	Edwin T. Stewert
U. S. Mineral Surveyor, before me	M. L. Harrison, & Notary Public,
	this 30th
day of November , 192	3.
	M. L. Harrison
	M. L. Starrison
My commission expires Nov. 12, 1924.	Notery Public, Gila County, Arizona.
1100. 12, 1924.	County, Arizona.

# U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## DEPARTMENT OF THE INTERIOR, OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,	
January 23	1924.
I, U. S. Surveyor General for <u>District of Arizona</u>	~~~~~~~
do hereby certify that the foregoing transcript of the Field Notes, return and ap	
of the Survey of the mining claim of	
Southern Copper Mining Company	
, known as the SANTO NINO NO. 5 lode	
, situate in <u>Patagonia</u>	
Mining District, Santa Cruz C	ounty,
Arizona , in Section Approx. 9 , Township No.	24 S,
Range No. 16 E., Uneur., and designated as S	
file in this office; that said Field Notes furnish such an accurate description of mining claim as will, if incorporated into a patent, serve fully to identify the present and that such reference is made therein to natural objects or permanent monume will perpetuate and fix the locus thereof.  And I further certify that five hundred dollars' worth of labor has been export improvements made upon said mining claim by claimant or its grantor that said improvements consist of labaft, 2 cuts and 2 tunnels, value \$685.	emises, ents as pended s, and total
and that no portion of said labor or improvements has been included in the estimexpenditures upon any other claim.  I further certify that the plat thereof, filed in the U.S. Land Office at Phoen Arizona. is correct and in conformity with the foregoing Field Notes.  Frank P. Trott  United States Surveyor General for Arizona.	ate of
o 6—168	

## SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

## DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,	
January 23 , 1924	
I, U. S. Surveyor General forDistrict_of_Arizona	
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of th	
Mining Claim of	
Southern Copper Mining Company	
, known as the	3
SANTO NINO NO. 5 lode	
situate in mining district	
Santa Cruz County, Arizona	
n Section Approx. 9, Township No. 24 S, Range No. 16 E., Ur	ıs.
, designated as Survey No3916	
executed by, U. S. Mineral	
Surveyor,September 20 - 21, 1923, under my instructions dated	
September 13 , have been critically examined and the necessary	
prrections and explanations made, and the said Field Notes and Return, and the survey they describe,	
re hereby approved. The certified copy of the location certificate filed by the applicant for survey is	
n file in this office and a true copy of said certified copy of said location certificate is included and	
ade a part of the transcript of the field notes.	
Homek John -	

U. S. Surveyor General for Arizona.